

Job:

Bill of Material

Job No: xxxSM101r0

Zone	Item No	Name	Size	Run Length (in)	Qty	Pressure	Mat	Gauge
TU-1-14	3	OHL TAP	12.500 x 6.000	9"	1	1"WG	GALV	26
TU-1-14	6	OHL TAP	12.500 x 6.000	9"	1	1"WG	GALV	26
AHU-1A	15	AHU-1A	49.000 x 10.000	0"	1	6"WG	GALV	22
TU-1-1	53	Spiral Pipe	8.000	92 5/8"	1	3"WG	GALV	26
TU-1-1	57	Spiral Pipe	8.000	11 1/2"	1	3"WG	GALV	26
TU-1-1	58	Gored Elbow	8.000	8 1/4"	1	3"WG	GALV	26
TU-1-1	59	Spiral Pipe	8.000	12 7/8"	1	3"WG	GALV	26
TU-1-1	60	Gored Elbow	8.000	8 1/4"	1	3"WG	GALV	26
TU-1-2	61	Flex	8.000	20"	1	3"WG	GALV	26
TU-1-1	62	Bell Mouth	10.000	3"	1	3"WG	GALV	26
TU-1-2	63	Bell Mouth	10.000	3"	1	3"WG	GALV	26
TU-1-2	64	Spiral Pipe	8.000	15"	1	3"WG	GALV	26
TU-1-2	65	Reducer	8.000	4"	1	3"WG	GALV	26
TU-1-14	68	Flex	10.000	11 3/4"	1	3"WG	GALV	26
TU-1-14	69	Spiral Pipe	10.000	18"	1	3"WG	GALV	26
TU-1-14	70	Reducer	7.875	4"	1	3"WG	GALV	26
TU-1-14	71	Gored Elbow	10.000	23 1/4"	1	3"WG	GALV	26
TU-1-14	72	Spiral Pipe	10.000	70 1/8"	1	3"WG	GALV	26
TU-1-14	73	Bell Mouth	12.000	3"	1	3"WG	GALV	26
	77	SSAC-1-3	0.000 x 0.000	0"	1	6"WG	GALV	26
	82	3DSOLID	0.000 x 0.000	0"	1	6"WG	GALV	26
AHU-1A	90	Attenuator	24.000 x 20.000	36"	1	6"WG	GALV	22
TU-1-17	95	Flex	16.000	27"	1	3"WG	GALV	24
TU-1-17	96	Straight	14.000 x 14.000	26 3/4"	1	1"WG	GALV	26
TU-1-17	97	Transition	20.000 x 18.000	12 3/4"	1	1"WG	GALV	26
TU-1-17	98	Spiral Pipe	16.000	85 3/4"	1	3"WG	GALV	24
TU-1-14	115	Straight	12.000 x 10.000	59"	1	1"WG	GALV	26
TU-1-14	116	Straight	12.000 x 10.000	59"	1	1"WG	GALV	26
TU-1-14	117	Straight	12.000 x 10.000	59"	1	1"WG	GALV	26
AHU-1A	130	Attenuator	24.000 x 20.000	60"	1	6"WG	GALV	22
TU-1-17	135	Snaplock Pipe	14.000	39 7/8"	1	1"WG	GALV	24
TU-1-17	136	Sticky Tap w Damp	14.000	2"	1	1"WG	GALV	24
TU-1-17	137	Snaplock Pipe	14.000	39 7/8"	1	1"WG	GALV	24
TU-1-17	138	Sticky Tap w Damp	14.000	2"	1	1"WG	GALV	24
TU-1-17	139	Diffuser Linear Rect1	14.000	24"	1	1"WG	GALV	26
TU-1-17	140	Diffuser Linear Rect1	14.000	24"	1	1"WG	GALV	26
AHU-1A	145	Adjustable Elbow	6 IN -90	14 1/8"	1	2"WG		
AHU-1A	147	Adjustable Elbow	6 IN -45	7 1/8"	1	2"WG	GALV	26
AHU-1A	148	Adjustable Elbow	6 IN -45	7 1/8"	1	2"WG	GALV	26
AHU-1A	149	Adjustable Elbow	6 IN -90	14 1/8"	1	2"WG		
TU-1-2	164	TU-1-2	5.000	0"	1	3"WG	GALV	26
F-1	165	Adjustable Elbow	8 IN -90	18 7/8"	1	2"WG		
F-1	166	Adjustable Elbow	8 IN -90	18 7/8"	1	2"WG		

Job:

Bill of Material

Job No: xxxSM101r0

Zone	Item No	Name	Size	Run Length (in)	Qty	Pressure	Mat	Gauge
F-1	167	Adjustable Elbow	8 IN -90	18 7/8"	1	2"WG		
F-1	168	Adjustable Elbow	8 IN -90	18 7/8"	1	2"WG		
TU-1-14	173	TU-1-14	8.000	0"	1	3"WG	GALV	26
AHU-1A	175	Control Damper Rect	24.000 x 20.000	8"	1	6"WG	GALV	22
AHU-1A	178	Snaplock Pipe	6.000	3 7/8"	1	2"WG	GALV	26
AHU-1A	179	Flex	6.000	70"	1	2"WG	GALV	26
F-1	184	Snaplock Pipe	8.000	14 1/8"	1	2"WG	GALV	26
F-1	185	Snaplock Pipe	8.000	59 3/4"	1	2"WG	GALV	26
F-1	186	Snaplock Pipe	8.000	59 3/4"	1	2"WG	GALV	26
F-1	187	Snaplock Pipe	8.000	59 3/4"	1	2"WG	GALV	26
FCU-1-1	189	Canvas Rectangular	50.000 x 6.750	3"	1	2"WG	GALV	22
FCU-1-1	190	Canvas Rectangular	50.000 x 6.750	3"	1	2"WG	GALV	22
TU-1-2	212	Flex	6.000	84"	1	1"WG	GALV	26
TU-1-2	213	Flex	6.000	26"	1	1"WG	GALV	26
TU-1-14	219	Flex	6.000	69"	1	1"WG	GALV	26
TU-1-14	220	Flex	6.000	49"	1	1"WG	GALV	26
TU-1-14	221	Straight	12.000 x 10.000	59"	1	1"WG	GALV	26
TU-1-14	222	Straight	12.000 x 10.000	59"	1	1"WG	GALV	26
AHU-1A	232	Straight	10.000 x 10.000	59"	1	2"WG	GALV	26
FCU-1-1	241	Diffuser Linear Rect1	12.000 x 10.000	14"	1	2"WG	GALV	26
AHU-1A	243	Radius Elbow	10.000 x 10.000	10 1/2"	1	2"WG	GALV	26
AHU-1A	244	Radius Elbow	10.000 x 10.000	23 5/8"	1	2"WG	GALV	26
AHU-1A	245	Straight	24.000 x 20.000	36 5/8"	1	6"WG	GALV	22
AHU-1A	252	Snaplock Pipe	6.000	59 3/4"	1	2"WG	GALV	26
AHU-1A	253	Snaplock Pipe	6.000	57 3/4"	1	2"WG	GALV	26
AHU-1A	254	Snaplock Pipe	6.000	59 3/4"	1	2"WG	GALV	26
AHU-1A	255	Snaplock Pipe	6.000	59 3/4"	1	2"WG	GALV	26
TU-1-2	290	Snaplock Pipe	6.000	18"	1	1"WG	GALV	26
TU-1-2	291	Snaplock Pipe	6.000	18"	1	1"WG	GALV	26
TU-1-2	292	Sticky Tap w Damp	6.000	2"	1	1"WG	GALV	26
TU-1-2	293	Sticky Tap w Damp	6.000	2"	1	1"WG	GALV	26
TU-1-2	294	STOP END	9.000 x 9.000	0"	1	1"WG	GALV	26
TU-1-2	295	Straight	9.000 x 9.000	38"	1	1"WG	GALV	26
TU-1-2	307	Adjustable Elbow	6 IN -90	11"	1	1"WG	GALV	26
TU-1-17	359	TU-1-17	14.000	0"	1	3"WG	GALV	22
AHU-1A	457	OA MEASURING STATION	10.000 x 10.000	12"	1	2"WG	GALV	26
F-1	541	Snaplock Pipe	8.000	30 1/8"	1	2"WG	GALV	26
F-1	542	Snaplock Pipe	8.000	60"	1	2"WG	GALV	26
F-1	543	Snaplock Pipe	8.000	58"	1	2"WG	GALV	26
F-1	544	Snaplock Pipe	8.000	58 1/8"	1	2"WG	GALV	26
F-1	545	Snaplock Pipe	8.000	60"	1	2"WG	GALV	26
TU-1-14	550	Diffuser Linear Rect1	8.000 x 6.000	12"	1	1"WG	GALV	26
TU-1-14	551	Diffuser Linear Rect1	8.000 x 6.000	12"	1	1"WG	GALV	26

Job:

Bill of Material

Job No: xxxSM101r0

Zone	Item No	Name	Size	Run Length (in)	Qty	Pressure	Mat	Gauge
TU-1-14	552	Sticky Tap w Damp	6.000	2"	1	1"WG	GALV	26
TU-1-14	553	Sticky Tap w Damp	6.000	2"	1	1"WG	GALV	26
TU-1-14	554	Straight	12.000 x 10.000	30"	1	1"WG	GALV	26
TU-1-14	555	Radius Elbow	12.000 x 10.000	28 1/4"	1	1"WG	GALV	26
TU-1-14	556	Straight	12.000 x 10.000	59"	1	1"WG	GALV	26
TU-1-14	557	Straight	12.000 x 10.000	59"	1	1"WG	GALV	26
TU-1-14	559	Snaplock Pipe	6.000	59 3/4"	1	1"WG	GALV	26
TU-1-14	560	Snaplock Pipe	6.000	59 3/4"	1	1"WG	GALV	26
TU-1-14	561	Snaplock Pipe	6.000	59 3/4"	1	1"WG	GALV	26
TU-1-14	562	Sticky Tap w Damp	6.000	2"	1	1"WG	GALV	26
TU-1-14	563	Straight	8.000 x 6.000	18"	1	1"WG	GALV	26
TU-1-17	564	Bell Mouth	18.000	3"	1	3"WG	GALV	24
TU-1-17	565	Spiral Pipe	16.000	68 1/4"	1	3"WG	GALV	24
TU-1-17	580	STOP END	14.000 x 14.000	0"	1	1"WG	GALV	26
TU-1-17	581	Straight	14.000 x 14.000	59"	1	1"WG	GALV	26
TU-1-17	582	Radius Elbow	14.000 x 14.000	35 3/4"	1	1"WG	GALV	26
TU-1-17	583	Straight	14.000 x 14.000	59"	1	1"WG	GALV	26
TU-1-17	584	Radius Elbow	14.000 x 14.000	38"	1	1"WG	GALV	26
TU-1-17	585	Straight	14.000 x 14.000	59"	1	1"WG	GALV	26
TU-1-17	586	Straight	14.000 x 14.000	56 3/4"	1	1"WG	GALV	26
TU-1-17	587	Radius Elbow	14.000 x 14.000	22"	1	1"WG	GALV	26
TU-1-2	604	Grill Layin Round	24.000 x 24.000	4"	1	Not Set	GALV	26
AHU-1A	605	Round Damper	6.000	0"	1	2"WG	GALV	26
AHU-1A	612	Transition	24.000 x 20.000	53 3/8"	1	6"WG	GALV	22
TU-1-17	617	Spiral Pipe	16.000	41"	1	3"WG	GALV	24
TU-1-17	618	Reducer	16.000	4"	1	3"WG	GALV	24
TU-1-17	619	Gored Elbow	16.000	37 3/8"	1	3"WG	GALV	24
FCU-1-1	650	FCU 2-2	49.000 x 6.875	0"	1	2"WG		
AHU-1A	650	Straight	24.000 x 20.000	60"	1	6"WG	GALV	22
TU-1-14	655	Adjustable Elbow	6 IN -90	11"	1	1"WG	GALV	26
FCU-1-1	655	Diffuser Linear Rect1	12.000 x 10.000	14"	1	2"WG	GALV	26
F-1	657	Diffuser Linear Rect1	8.000 x 6.000	12"	1	2"WG	GALV	26
F-1	658	IHL TAP	12.500 x 6.000	9"	1	6"WG	GALV	24
						PVC		
						Coated		
						GALV		
TU-1-14	659	Grill Layin Round	24.000 x 24.000	4"	1	Not Set	GALV	26
TU-1-14	660	Adjustable Elbow	6 IN -90	11"	1	1"WG		
TU-1-14	660	Grill Layin Round	24.000 x 24.000	4"	1	Not Set	GALV	26
AHU-1A	666	Grill Lay-in Flex	6.000	24"	1	2"WG	GALV	26
AHU-1A	681	Transition	47.000 x 12.000	24"	1	6"WG	GALV	18
AHU-1A	682	Transition	24.000 x 20.000	24"	1	6"WG	GALV	18
F-1	683	Snaplock Pipe	8.000	6"	1	2"WG	GALV	26

Job:

Bill of Material

Job No: xxxSM101r0

Zone	Item No	Name	Size	Run Length (in)	Qty	Pressure	Mat	Gauge
AHU-1A	686	Straight	10.000 x 10.000	59"	1	2"WG	GALV	26
AHU-1A	687	Straight	10.000 x 10.000	59"	1	2"WG	GALV	26
AHU-1A	688	Straight	10.000 x 10.000	59"	1	2"WG	GALV	26
AHU-1A	689	Straight	10.000 x 10.000	59"	1	2"WG	GALV	26
AHU-1A	690	Straight	10.000 x 10.000	59"	1	2"WG	GALV	26
AHU-1A	691	Straight	10.000 x 10.000	59"	1	2"WG	GALV	26
AHU-1A	692	Sticky Tap	6.000	2"	1	2"WG	GALV	26
AHU-1A	693	Canvas Rectangular	49.000 x 10.000	2"	1	3"WG	GALV	20
AHU-1A	694	Canvas Rectangular	47.000 x 12.000	2"	1	2"WG	GALV	22
AHU-1A	697	Straight	24.000 x 20.000	60"	1	6"WG	GALV	22
AHU-1A	698	Radius Elbow	24.000 x 20.000	47 1/8"	1	6"WG	GALV	22
AHU-1A	699	Straight	24.000 x 20.000	33 7/8"	1	6"WG	GALV	22
F-1	714	Straight	8.000 x 6.000	59"	1	2"WG	GALV	26
F-1	715	Square to Round (asym)	8.000 x 6.000	8"	1	2"WG	GALV	26
FCU-1-1	728	Straight	12.000 x 10.000	57"	1	2"WG	GALV	26
FCU-1-1	729	Transition	12.000 x 10.000	11 7/8"	1	2"WG	GALV	22
FCU-1-1	730	Radius Elbow	12.000 x 10.000	28 1/4"	1	2"WG	GALV	26
FCU-1-1	731	Straight	12.000 x 10.000	36 7/8"	1	2"WG	GALV	26
FCU-1-1	732	Transition	12.000 x 10.000	16 1/4"	1	2"WG	GALV	22
FCU-1-1	733	Radius Elbow	12.000 x 10.000	28 1/4"	1	2"WG	GALV	26
FCU-1-1	734	Straight	12.000 x 10.000	36 7/8"	1	2"WG	GALV	26
AHU-1A	735	OHL TAP	14.500 x 10.000	9"	1	2"WG	GALV	26
AHU-1A	738	Straight	16.000 x 12.000	59"	1	2"WG	GALV	26
AHU-1A	745	Straight	24.000 x 20.000	39 5/8"	1	3"WG	GALV	24
AHU-1A	746	Radius Elbow	24.000 x 20.000	49 1/2"	1	6"WG	GALV	22
AHU-1A	747	Radius Elbow	24.000 x 20.000	31 3/8"	1	6"WG	GALV	22
AHU-1A	749	Straight	24.000 x 20.000	41 3/8"	1	6"WG	GALV	22
AHU-1A	750	Straight	24.000 x 20.000	48"	1	6"WG	GALV	22

Material Summary:

Material	Area (sq ft)	Weight (lb)
Galvanized x 18	39.5	85.2
Galvanized x 20	0.0	0.0
Galvanized x 22	307.8	432.7
Galvanized x 24	121.4	140.3
Galvanized x 26	632.9	573.4
None	0.0	0.0
	1101.5	1231.6